

# ● PRINTER RUSH ●

(PTO ASSISTANCE)

Application : <u>10670127</u>	Examiner : <u>King</u>	GAU : <u>3632</u>
From: <u>J. Black</u>	Location: <u>IDC</u> FMF FDC	Date: <u>11/29/08</u>
Tracking #: <u>epm 10670127</u>		Week Date: <u>8/8/08</u>

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449	_____	<input checked="" type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS	_____	<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM	_____	<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW	_____	<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW	_____	<input type="checkbox"/> Other
<input type="checkbox"/> DRW	_____	
<input type="checkbox"/> OATH	_____	
<input type="checkbox"/> 312	_____	
<input type="checkbox"/> SPEC	_____	

**[RUSH] MESSAGE:**

Continuing data appears on the palm/bib sheet,  
but nothing in the specification. Please add continuing  
data to specification so as to match palm/bib  
sheet.

Thank you!

**[XRUSH] RESPONSE:**

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**INITIALS:**

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04